FIG. 1 PRIOR ART

```
1 c:\collections
2 notes.txt
3 myletter.doc
4 c-myhomepage
5
6 s
7 homepage.html
8 myphoto.jpg
```

FIG. 2

```
1 c:\collections
2 notes.txt
3 myletter.doc

4 c-myhomepage
5 collspec
6 s
7 homepage.html
8 myphoto.jpg
```

				102
!				/
i	1	collection	c-myhomepage	
i	2	coll-type	cf-web-page	i
1	3	coll-home	cf-colls:mysite.com:c-myhomepage	i I
I	4	coll-desc	A sample homepage collection	1
1	5	end-collection		

FIG. 4

1	C.\Conections
2	programs
3	helloworld
4	c-hello-library
5	c-hello
6	c-myprogram
7	parts
8	c-include-files
9	c-library-one
10	c-library-two
11	webstuff
12	c-myhomepage

!	# Pathnames showing filesystem location of collections
2	
3	c:\collections\programs\helloworld\c-hello-library
1	c:\collections\programs\helloworld\c-hello
5	c:\collections\c-myprogram
6	c:\collections\parts\c-include-files
7	c:\collections\parts\c-library-one
3	c:\collections\parts\c-library-two
)	c:\collections\webstuff\c-myhomepage

FIG. 6 PRIOR ART




FIG. 7




FIG. 8

1	# Five components of a full collection reference		
2	#		
3	# <coll-name><scope arguments=""><content names="" selector=""></content></scope></coll-name>		
4	# where <co< td=""><td>oll-name> = category:authority:collection</td></co<>	oll-name> = category:authority:collection	
5	#		
6	category	the hierarchical category name of the coll	
7		e.g. site/prod/release4	
8	authority	the authority name responsible for managing the coll	
9		e.g. colls.mysite.com	
10	collection	the collection name	
11		e.g. mycoll	
12	scope-args	command line arguments that select scope within coll	
13		e.grecursive -new -changed -locked	
14	selectors	names of categories, directories, or files	
15		e.g. mydir, mydir/myfile.c, collspec.txt	

- 1 # Example collection reference for collection of FIG 2
- 23 # coll c-myhomepage in cat cf-colls at mysite.com
- 4 cf-colls:mysite.com:c-myhomepage

1	# Shortcut collection references and their meanings		
2	#		
3	# Shortcut	Meaning	
4			
5	cat:auth:coll	a full collection name reference	
6	cat:auth:	all collections in category at authority	
7	cat::coll	this coll in this cat at default authority	
8	cat::	all colls in this cat at default authority	
9	:auth:coll	this coll in all cats at this authority	
10	:auth:	all colls in all cats at this authority	
11			
12	••	current coll if inside a coll; invalid outside a coll	
13	••	current coll and current dir if inside; invalid outside	
14	::mydir	current coll and mydir if inside; invalid outside	

FIG. 11

1	# Structure of a collection symbolic job request		
2	#		
3	# "do this (task) to that (collection reference)"	
4	# <task-na< td=""><td>me> <collection-ref></collection-ref></td></task-na<>	me> <collection-ref></collection-ref>	
5	# where <collection-ref> = category:authority:collection</collection-ref>		
6	#		
7	category	the hierarchical category name of the coll	
8		e.g. site/prod/release4	
9	authority	the authority name responsible for managing the coll	
10		e.g. colls.mysite.com	
11	collection	the collection name	
12		e.g. mycoll	

```
# Example collection symbolic job requests
# (using collections from FIGs 2-3)
# rebuild coll c-myhomepage in cat cf-colls at mysite.com
rebuild cf-colls:mysite.com:c-myhomepage
# rebuild all collections in category cf-colls at mysite.com
rebuild cf-colls:mysite.com:
```

FIG. 13

Expanded collection list for a symbolic job request

<task-name> <collection-ref>
rebuild cf-colls:mysite.com:

cf-colls:mysite.com:c-hello-library
cf-colls:mysite.com:c-hello
cf-colls:mysite.com:c-myprogram
cf-colls:mysite.com:c-include-files
cf-colls:mysite.com:c-library-one
cf-colls:mysite.com:c-library-two

cf-colls:mysite.com:c-myhomepage

12

FIG. 14

Expanded (sorted) visit order list for a symbolic job request 2 # <task-name> <collection-ref> # rebuild cf-colls:mysite.com: 5 6 cf-colls:mysite.com:c-include-files 10 49 cf-colls:mysite.com:c-library-two cf-colls:mysite.com:c-hello-library 8 50 9 cf-colls:mysite.com:c-library-one 50 10 cf-colls:mysite.com:c-hello 100 cf-colls:mysite.com:c-myhomepage 11 100 12 cf-colls:mysite.com:c-myprogram 100

FIG. 15

- 1 # Expanded platform list for cf-colls:mysite.com:c-myprogram
- 2 #
- 3 win2000
- 4 win98
- 5 win95
- 6 linux2

FIG. 16

- 1 # Expanded platform list for cf-colls:mysite.com:c-myhomepage
- 2 #
- 3 win2000

FIG. 17

- 1 # Expanded job triplet list for a single collection
- 2 #

3	cf-colls:mysite.com:c-myprogram	100	win2000
4		100	win98
5		100	win95
6	cf-colls:mysite.com:c-myprogram	100	linux2

- 1 # Expanded job triplet list for a single collection
- 2 #
- 3 cf-colls:mysite.com:c-myhomepage 100 win2000

1	# Expanded triplet list for a symbolic job request		
2	#		
3	# rebuild cf-colls:mysite.com:		
4	cf-colls:mysite.com:c-include-files	10	win2000
5	cf-colls:mysite.com:c-include-files	10	win98
6	cf-colls:mysite.com:c-include-files	10	win95
7	cf-colls:mysite.com:c-include-files	10	linux2
8	cf-colls:mysite.com:c-library-two	49	win2000
9	cf-colls:mysite.com:c-library-two	49	win98
10	cf-colls:mysite.com:c-library-two	49	win95
11	cf-colls:mysite.com:c-library-two	49	linux2
12	cf-colls:mysite.com:c-hello-library	50	win2000
13	cf-colls:mysite.com:c-hello-library	50	win98
14			
15		•••	•••
16	cf-colls:mysite.com:c-library-one	50	win2000
17	cf-colls:mysite.com:c-library-one	50	win98
18	•	00	WITTOO
10	•••	•••	•••
19	cf-colls:mysite.com:c-hello	100	win2000
20	cf-colls:mysite.com:c-hello	100	win98
21			•••
22	cf-colls:mysite.com:c-myhomepage	100	win2000
23	cf-colls:mysite.com:c-myprogram	100	win2000
24	cf-colls:mysite.com:c-myprogram	100	win98
25	cf-colls:mysite.com:c-myprogram	100	win95
26	cf-colls:mysite.com:c-myprogram	100	linux2

```
/* data structure for holding expanded job info */
    csje-info {
 2
 3
      + original symbolic task name
 4
      + original collection-reference
 5
      + expanded-coll-list
         + coll-structure-1
 6
 7
             + coll-name
 8
             + visit-order
 9
             + platform-list
10
               + platform-1
11
               + platform-2
12
               + platform-...
13
             + other-coll-info
          + coll-structure-2
14
15
             + coll-name
16
             + visit-order
17
             + platform-list ...
18
          + coll-structure-3
19
20
      + other expansion info
21
22 }
```




FIG. 22

- 1 # simplified algorithm for a program using a coll job expander
- 2 Call get symbolic job request means to get a symbolic job request
- 3 Call collection job expander means to expand symbolic request
- 4 Call use expanded job list means to use triplets on expanded job list

FIG. 23




FIG. 24

- 1 # Simplified algorithm for a CPS queue manager means in a
- 2 # collection processing system
- 3 Receive collection symbolic job request from CPS client
- 4 Call collection job expander means to expand symbolic job request
- 5 Call job dispatcher means to execute individual expanded jobs
- 6 job dispatcher distributes individual job triplets among N servers
- 7 Call collection job reporter means to aggregate and report job results

FIG. 25




FIG. 26

- 1 # Simplified algorithm for a collection symbolic job expander means
- 2 #
- 3 Receive collection symbolic job request from caller
- 4 Call expand coll reference means to get list of individual collections
- 5 Call expand visit order means to get a visit order value for each coll
- 6 Call expand platform list means to get list of platforms for each coll
- 7 Build collection job expander info data structure to return to caller

FIG. 27




FIG. 28

- 1 # Simplified algorithm for an expand collection reference means
- 2 #
- 3 Receive unexpanded collection reference from caller
- 4 Call collection storage system to get list of individual collection names
- 5 Build csje-info data structure containing list of individual collection names
- 6 Return new data structure to caller

15/22

FIG. 29




FIG. 30

- 1 # Simplified algorithm for an expand visit order means
- 2 #
- 3 Receive list of individual collection names from caller
- 4 Call collection storage system to get explicit visit orders for colls on list
- 5 Call collection storage system to get collection types for colls on list
- 6 Call collection knowledge system to get type definitions for colls on list
- 7 Use explict visit order vales in preference to coll-type-def visit orders
- 8 Append coll types and proper visit orders to csje-info data structure
- 9 Return augmented data structure to caller

FIG. 31

name-coll-type.tbl:
a table of collection type names
name definition file
ct-program-c ct-program-c.def
ct-library-c
ct-library-c.def
ct-doc-html

FIG. 32

ct-program-c.def:
a collection type definition file for a C program collection
the processing platform type for all c-program collections
proc-platform-type pp-program-c
the default visit order type for c-program collections
visit-order vo-program-c

FIG. 33

ct-library-c.def:
a collection type definition file for a C library collection
the processing platform type for all c-library collections
proc-platform-type pp-program-c
the default visit order type for c-program collections
visit-order vo-library-c

FIG. 34

1	name-visit-order-type.tbl:		
2	# a table of visit order type names and values		
3			
4	# vo-type-name	vo-value	
5	vo-initial	10	
6	vo-include-files	20	
7	vo-library-c	50	
8	vo-program-c	100	
9	vo-program-fortran	100	
0	vo-doc-html	100	

1	collspec:	
2	# a collection specifi	ier with explicit numeric visit order value
3		
4	collection	
5	coll-home	cf-colls:mysite.com:c-library-two
6	coll-type	ct-library-c
7	•••	
8	visit-order	49
9	end-collection	

1 2 3	c:\collections programs helloworld	
4	c-hello	ctype = ct-program-c default vo=100
5	c-hello-library	ctype = ct-library-c default vo=50
6	c-myprogram	ctype = ct-program default vo=100
7	parts	
8	c-include-files	ctype = ct-include-files default vo=10
9	c-library-one	ctype = ct-library-c default vo=10
10	c-library-two	ctype = ct-library-c EXPLICIT vo=49
11	webstuff	
12	c-myhomepage	ctype = ct-doc-html default vo=100

FIG. 37

1	# table of unsorted visit order values for list of colls		
2	# coll-name	visit-order-value	
3	cf-colls:mysite.com:c-hello	100	
4	cf-colls:mysite.com:c-hello-library	50	
5	cf-colls:mysite.com:c-myprogram	100	
6	cf-colls:mysite.com:c-library-one	50	
7	cf-colls:mysite.com:c-library-two	49	
8	cf-colls:mysite.com:c-include-files	10	
9	cf-colls:mysite.com:c-myhomepage	100	

1	# table of sorted visit order values for list of colls	
2	# coll-name	visit-order-value
2	of colle:mycita com: a include files	10
3	cf-colls:mysite.com:c-include-files	10
4	cf-colls:mysite.com:c-library-two	49
5	cf-colls:mysite.com:c-hello-library	50
6	cf-colls:mysite.com:c-library-one	50
7	cf-colls:mysite.com:c-hello	100
8	cf-colls:mysite.com:c-myprogram	100
9	cf-colls:mysite.com:c-myhomepage	100

20/22

FIG. 39




FIG. 40

- 1 # Simplified algorithm for an expand processing platform means
- 2 #
- 3 Receive list of individual collection names and coll types from caller
- 4 Call collection knowledge system to get exe platform types for coll types
- 5 Call collection knowledge system to get exe platform type definitions
- 6 Append list of exe platforms to each coll in csje-info data structure
- 7 Return augmented data structure to caller

FIG. 41

name-proc-plt.tbl:
a table of collection processing platform types
name definition file
pp-program-c pp-program-c.def
pp-program-fortran pp-program-fortran.def
pp-web-page pp-web-page.def

FIG. 42

pp-program-c.def:
pp-program-c.def:
 # a processing platform type definition file for a C program

process c program collections on these platforms
win2000
win98
win95
linux2

FIG. 43

pp-web-page.def:
a processing platform type definition file for a web page
process web page collections on these platforms
win2000

FIG. 44

